


REL17

Reduksjon lang SDR17

- PE100-redusering lang
- Konsentrisk
- Lange ender
- SDR17: Vann PN 10 Gass PN 6
- Andre dimensjoner ved forespørsel




Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1
REL17-075-040		75	40	SDR17	172	76	55	4.5	3.7 (SDR11)
REL17-075-063	2451682	75	63	SDR17	146	70	63	4.5	3.8
REL17-090-050	2451642	90	50	SDR17	175	85	60	5.4	4.6 (SDR11)
REL17-090-063	2451683	90	63	SDR17	172	79	63	5.4	3.8
REL17-090-075	2451684	90	75	SDR17	163	79	70	5.4	4.5
REL17-110-050	2451644	110	50	SDR17	177	88	57	6.6	3.0
REL17-110-063	2451685	110	63	SDR17	179	82	63	6.6	3.8
REL17-110-075	2451961	110	75	SDR17	176	85	73	6.6	4.5
REL17-110-090	2451686	110	90	SDR17	175	82	79	6.6	5.4
REL17-125-063	2451687	125	63	SDR17	187	87	63	7.4	3.8
REL17-125-075	2451935	125	75	SDR17	227	100	75	7.4	4.5
REL17-125-090	2451688	125	90	SDR17	191.5	87	79	7.4	5.4
REL17-125-110	2451689	125	110	SDR17	193	87	82	7.4	6.6
REL17-140-075-P		140	75	SDR17	208	96	77	8.3	4.5
REL17-140-090	2451937	140	90	SDR17	207	100	82	8.3	5.4
REL17-140-110	2451938	140	110	SDR17	200	95	88	8.3	6.6
REL17-140-125	2451694	140	125	SDR17	207	95	90	8.3	7.4
REL17-160-090	2451691	160	90	SDR17	215	98	79	9.5	5.4
REL17-160-110	2451692	160	110	SDR17	222	98	87.5	9.5	6.6
REL17-160-125	2451828	160	125	SDR17	227	98	89.5	9.5	7.4
REL17-160-140	2451693	160	140	SDR17	234	98	93.5	9.5	8.3
REL17-180-090		180	90	SDR17	260	110	90	10.7	5.4
REL17-180-125	2451696	180	125	SDR17	270	132.5	95	10.7	7.4

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

REL17

Reduksjon lang SDR17




Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1
REL17-180-140	2452791	180	140	SDR17	221	105	96	10.7	8.3
REL17-180-160	2451695	180	160	SDR17	270	127	101	10.7	9.5
REL17-200-110	2451939	200	110	SDR17	260	132	90	11.9	6.6
REL17-200-125	2451941	200	125	SDR17	262	122	102	11.9	7.4
REL17-200-140	2451942	200	140	SDR17	251	123	100	11.9	8.3
REL17-200-160	2451996	200	160	SDR17	253	112	98.5	11.9	9.5
REL17-200-180	2451997	200	180	SDR17	251	126	113	11.9	10.7
REL17-225-090		225	90	SDR17	298	121	89	13.4	5.4
REL17-225-110	2451943	225	110	SDR17	311	132	90	13.4	6.6
REL17-225-125	2451944	225	125	SDR17	288	131	100	13.4	7.4
REL17-225-140	2451945	225	140	SDR17	273	130	100	13.4	8.3
REL17-225-160	2451829	225	160	SDR17	258	120	98	13.4	9.5
REL17-225-180	2451946	225	180	SDR17	285	163	99	13.4	10.7
REL17-225-200	2451947	225	200	SDR17	270	144	112	13.4	11.9
REL17-250-160	2451697	250	160	SDR17	318	152	112	14.8	9.5
REL17-250-180	2451948	250	180	SDR17	310	157	113	14.8	10.7
REL17-250-200	2451698	250	200	SDR17	310	149	124	14.8	11.9
REL17-250-225	2451699	250	225	SDR17	312	150	132	14.8	13.4
REL17-280-110-RR	2451949	280	110	SDR17				16.6	6.6
REL17-280-200	2451951	280	200	SDR17	340	172	123	16.6	11.9
REL17-280-225	2451952	280	225	SDR17	334	168	138	16.6	13.4
REL17-280-250	2452084	280	250	SDR17	355	160	156	16.6	14.8
REL17-315-200	2452081	315	200	SDR17	375	173	134	18.7	11.9
REL17-315-225	2452082	315	225	SDR17	375	168	132	18.7	13.4

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

REL17

Reduksjon lang SDR17




Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1
REL17-315-250	2452083	315	250	SDR17	375	173	154	18.7	14.8
REL17-315-280	2452086	315	280	SDR17	346	164	164	18.7	16.6
REL17-355-250	2452087	355	250	SDR17	426	175	145	21.1	14.8
REL17-355-280	2452088	355	280	SDR17	426	170	155	21.1	16.6
REL17-355-315	2452089	355	315	SDR17	426	175	170	21.1	18.7
REL17-400-280	2452091	400	280	SDR17	465	190	155	23.7	16.6
REL17-400-315	2452092	400	315	SDR17	460	190	165	23.7	18.7
REL17-400-355	2452093	400	355	SDR17	463	190	185	23.7	21.1
REL17-450-280	2452094	450	280	SDR17				26.7	16.6
REL17-450-315	2452095	450	315	SDR17	480	202	157	26.7	18.7
REL17-450-355	2452096	450	355	SDR17	480	202	172	26.7	21.1
REL17-450-400	2452097	450	400	SDR17	480	202	187	26.7	23.7
REL17-500-280	2452098	500	280	SDR17				29.7	16.6
REL17-500-280-RR	2428991	500	280	SDR17				29.7	16.6
REL17-500-315	2452099	500	315	SDR17				29.7	18.7
REL17-500-355	2452251	500	355	SDR17	520	222	172	29.7	21.1
REL17-500-400	2452252	500	400	SDR17	520	222	187	29.7	23.7
REL17-500-450	2452253	500	450	SDR17	520	222	202	29.7	26.7
REL17-560-355	2452254	560	355	SDR17				33.2	21.1
REL17-560-400	2452255	560	400	SDR17				33.2	23.7
REL17-560-450	2452256	560	450	SDR17				33.2	26.7
REL17-560-500	2452257	560	500	SDR17				33.2	29.7
REL17-630-355		630	355	SDR17	650	265	172	37.4	21.1
REL17-630-400	2452258	630	400	SDR17	650	265	187	37.4	23.7

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

REL17

Reduksjon lang SDR17



Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1
REL17-630-450	2452259	630	450	SDR17	650	265	202	37.4	26.7
REL17-630-500	2452261	630	500	SDR17	650	265	222	37.4	29.7
REL17-630-560	2452262	630	560	SDR17				37.4	33.2