


RVV

Ventilasjonsreduksjon

- PVC-reduksjon
- Muffe i begge ender
- Grå (hvit på forespørsel)
- Andre dimensjoner ved forespørsel




Artikkelnr	Da1	Da2	H	L1	L2	S
RVV 090-075	75	90	40	40	40	2.5
RVV 110-075	75	110	80	40	40	2.5
RVV 110-090	90	110	60	40	40	2.5
RVV 125-075	75	125				
RVV 125-090	90	125				
RVV 125-110	110	125	40	40	40	2.5
RVV 140-110	110	140	80	40	40	2.5
RVV 140-125	125	140	40	40	40	2.5
RVV 160-110	110	160	140	40	40	2.5
RVV 160-125	125	160	100	40	40	2.5
RVV 160-140	140	160	60	40	40	2.5
RVV 180-160	160	180	60	40	40	2.5
RVV 200-110	110	200	65	40	40	2.5
RVV 200-125	125	200				
RVV 200-140	140	200				
RVV 200-160	160	200	120	40	40	2.5
RVV 200-180	180	200	60	40	40	2.5
RVV 225-160	160	225	100	40	40	2.5
RVV 225-200	200	225	80	40	40	2.5
RVV 250-110	110	250				
RVV 250-125	125	250	90	40	40	2.5
RVV 250-160	160	250	120	40	40	2.5
RVV 250-200	200	250	140	40	40	2.5

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

RVV


Ventilasjonsreduksjon



Artikkelnr	Da1	Da2	H	L1	L2	S
RVV 250-225	225	250	80	40	40	2.5
RVV 280-200	200	280	105	40	50	2.5
RVV 280-250	250	280	35	40	50	2.5
RVV 315-160	160	315	115	40	50	2.5
RVV 315-180	180	315	100	40	50	2.5
RVV 315-200	200	315	160	40	50	2.5
RVV 315-250	250	315	100	40	50	2.5
RVV 315-280	280	315	100	50	50	2.5
RVV 355-200	200	355	115	40	50	2.5
RVV 355-250	250	355	140	40	50	2.5
RVV 355-280	280	355				
RVV 355-315	315	355	20	50	50	2.5
RVV 400-200	200	400				
RVV 400-225	225	400	125	40	50	2.5
RVV 400-250	250	400				
RVV 450-250	250	450	145	40	50	2.5
RVV 400-315	315	400	120	50	50	2.5
RVV 400-355	355	400	135	50	50	3
RVV 450-315	315	450				
RVV 450-400	400	450				
RVV 500-200	200	500				
RVV 500-315	315	500	135	50	50	2.5
RVV 500-400	400	500				
RVV 500-450	450	500				

RVV

Ventilasjonsreduksjon



Artikkelnr	Da1	Da2	H	L1	L2	S
RVV 600-400	400	600				
RVV 600-500	500	500				
RVV 800-600	600	800				
RVV 1000-800	800	1000				