


TREL11

T-rør redusert SDR11

- PE100 T-rør 90°
- Redusert
- Lange ender
- SDR11: Vann PN 16 Gass PN 10




Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1	Z
TREL11-063-032-B		63	32	SDR11	228	70	46	5.8	3.0	91
TREL11-063-050	2452101	63	50	SDR11	216	62	56	5.8	4.6	102.5
TREL11-075-032	2452102	75	32	SDR11	258	73	46	6.8	3	106
TREL11-075-050	2452103	75	50	SDR11	257	73	56	6.8	4.6	110
TREL11-075-063	2452104	75	63	SDR11	252	70	64	6.8	5.8	117
TREL11-090-063	2452105	90	63	SDR11	266	79	64	8.2	5.8	136
TREL11-090-075	2452106	90	75	SDR11	268	75	70	8.2	6.8	138
TREL11-110-063	2452107	110	63	SDR11	305	85	65	10	5.8	155
TREL11-110-075	2452108	110	75	SDR11	305	83	68	10	6.8	149
TREL11-110-090	2452109	110	90	SDR11	310	84	79	10	8.2	155
TREL11-125-075	2451254	125	75	SDR11	348	110	75	11.4	6.8	168
TREL11-125-090	2452162	125	90	SDR11	332	109	89	11.4	8.2	168
TREL11-125-110	2452111	125	110	SDR11	340	90	83	11.4	10	167
TREL11-160-063	2452112	160	63	SDR11	340	99.5	66	14.6	5.8	172
TREL11-160-075	2452113	160	75	SDR11	344	101	76	14.6	6.8	175
TREL11-160-090	2452114	160	90	SDR11	343	101	80	14.6	8.2	177
TREL11-160-110	2452115	160	110	SDR11	392	98	84.5	14.6	10	196
TREL11-180-090	2452116	180	90	SDR11	420	136	97	16.4	8.2	200
TREL11-180-110	2452117	180	110	SDR11	455	145	101	16.4	10	220
TREL11-180-160	2452118	180	160	SDR11	415	105	91	16.4	14.6	204
TREL11-200-063	2452119	200	63	SDR11	553	134	82	18.2	5.8	226
TREL11-200-090	2452163	200	90	SDR11	550	134.5	96	18.2	8.2	229
TREL11-200-110	2452121	200	110	SDR11	550	134	103	18.2	10	242

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

TREL11

T-rør redusert SDR11




Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1	Z
TREL11-200-125	2452122	200	125	SDR11	550	134	110	18.2	11.4	245
TREL11-200-160	2452123	200	160	SDR11	550	134	115	18.2	14.6	270
TREL11-225-075	2452124	225	75	SDR11	448	120	75	20.5	6.8	226
TREL11-225-090	2452125	225	90	SDR11	448	123	82	20.5	8.2	224
TREL11-225-110	2452126	225	110	SDR11	448	122	85	20.5	10	226
TREL11-225-160	2452127	225	160	SDR11	486	120	98	20.5	14.6	246
TREL11-225-180	2452128	225	180	SDR11	546	132	135	20.5	16.4	274
TREL11-250-050		250	50	SDR11	630	148	71	22.7	4.6	230
TREL11-250-075		250	75	SDR11	630	148	86	22.7	6.8	245
TREL11-250-110	2453147	250	110	SDR11	630	149.5	87	22.7	10	245
TREL11-250-160	2453148	250	160	SDR11	625	148	100	22.7	14.6	270
TREL11-250-180	2429613	250	180	SDR11	625	148	110	22.7	16.4	268
TREL11-250-200	2453149	250	200	SDR11	625	152	120	22.7	18.2	291
TREL11-315-090	2453151	315	90	SDR11	545	170	90	28.6	8.2	290
TREL11-315-110	2452129	315	110	SDR11	546	170	100	28.6	10	290
TREL11-315-125	2429614	315	125	SDR11	575	170	102.5	28.6	11.4	302
TREL11-315-160	2452164	315	160	SDR11	575	170	120	28.6	14.6	310
TREL11-315-180	2429615	315	180	SDR11	640	170	108	28.6	16.4	304
TREL11-315-200	2453152	315	200	SDR11	640	170	126	28.6	18.2	326
TREL11-315-225	2452131	315	225	SDR11	638	170	145	28.6	20.5	331
TREL11-315-250	2452132	315	250	SDR11	670	170	150	28.6	22.7	333
TREL11-RC-355-160		355	160	SDR11	883	192	103	32.2	14.6	325
TREL11-RC-355-225		355	225	SDR11	883	194	128	32.2	20.5	344
TREL11-RC-355-250		355	250	SDR11	883	194	137	32.2	22.7	354

Med forbehold om konstruksjonsendringer og tekniske endringer. Kan endres uten varsel.

gpa.no | info@gpa.no | +47 64 85 68 00

TREL11

T-rør redusert SDR11



Artikkelnr	NRF	da(OD)	da1(OD1)	SDR	L	L1	L2	s	s1	Z
TREL11-RC-400-110		400	110	SDR11	957	206	87	36.3	10	325
TREL11-RC-400-160		400	160	SDR11	957	206	103	36.3	14.6	350
TREL11-RC-400-200		400	200	SDR11	952	204	117	36.3	18.2	365
TREL11-RC-400-225		400	225	SDR11	955	205	125	36.3	20.5	375
TREL11-RC-400-250		400	250	SDR11	957	206	136	36.3	22.7	383
TREL11-RC-400-315		400	315	SDR11	959	206	157.5	36.3	28.6	409